PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

ATTENDED TO DELL	.100	011	DER THE FATERI COOPERATION	ON TREATT (FCT)
(51) International Patent Classification ⁶ :		[1	1) International Publication Number:	WO 97/2824
C11D 17/06, 11/00	Al	(4	3) International Publication Date:	7 August 1997 (07.08.97
(21) International Application Number: PCT/EP((22) International Filing Date: 6 January 1997 ((30) Priority Data: 9601920.3 31 January 1996 (31.01.96)	06.01.9		(81) Designated States: AL, AM, AT, BY, CA, CH, CN, CU, CZ, DE HU, IL, IS, JP, KE, KG, KP, LT, LU, LV, MD, MG, MK, M PT, RO, RU, SD, SE, SG, SI, UG, UZ, VN, ARIPO patent (K Eurasian patent (AM, AZ, BY, IST)	Z, DK, EE, ES, FI, GB, GE KR, KZ, LC, LK, LR, LS IN, MW, MX, NO, NZ, PL SK, TJ, TM, TR, TT, UA IE, LS, MW, SD, SZ, UG)
(71) Applicant (for AU BB CA GB IE IL KE LC LK LS NZ SD SG SZ TT UG only): UNILEVER PLC (Unilever House Blackfriger London ECAB ABO (6)	GB/GB	/W/ 3];	European patent (AT, BE, CH, GR, IE, IT, LU, MC, NL, PT, CF, CG, CI, CM, GA, GN, ML	DE, DK, ES, FI, FR, GB SE), OAPI patent (BF, BJ
Unilever House, Blackfriars, London EC4P 4BQ ((71) Applicant (for all designated States except AU BB CA (KE LC LK LS MG MW NZ SD SG SZ TT UG): UNINV. [NIJNL]; Weena 455, NL-3013 AL Rotterdal	GB IE I	ER	Published With international search report Before the expiration of the ti- claims and to be republished in amendments.	me limit for amending the
(72) Inventors: CRISOLOGO, Reiner, Jumao-as; Abdul Al-Ghamdi Building, Ground floor, Flat 3, Za Ghulayl District, Al Mahjar Road, Jeddah (SA). CIA, Marcelito, Abad; Abdul Wahab Al-Ghamdi E Ground floor, Flat 3, Zaynal St. Ghulayl District, jar Road, Jeddah (SA). JORDAN, David, Alan; 22 Sierra Village, Arabian Homes, Jeddah (SA).	ynal S GAF Buildin Al Mal	St. R· g. h-		
(74) Agent: MOLE, Peter, Geoffrey; Unilever PLC, Patent I Colworth House, Sharnbrook, Bedford MK44 1LQ				
(54) Title: PROCESS FOR THE PRODUCTION OF A D	ETERC	GEN	T COMPOSITION	
(57) Abstract				
A process for the production of a low to medium bu starting material in a high speed mixer/granulator to form gra of not more than 700g/l in very low shear mixing zone for e	inules v	whic	ch are then contacted with a particulate ma	terial having a bulk density
i.				•
•				

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	CE	Georgia	MX	Mexico
ΑU	Australia	GN	Guinea	NE	Niger
88	Barbados	GR	Greece	NL	Netherlands
BE	Belgiam	HU	Hungary	NO	Norway
BF	Burkina Faso	12	Ireland	NZ	New Zealand
BG	Bulgaria	IT	kaly	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhetan	SI	Slovenia
a	Côte d'Tvoire	ผ	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Scnegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DB	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	रा	Trinidad and Tobago
EB	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Pinland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gebon	MR	Mauritania	VN	Viet Nam

1

PROCESS FOR THE PRODUCTION OF A DETERGENT COMPOSITION

The present invention relates to a process for the production of a detergent composition. In particular the invention is concerned with a process for the production of a detergent composition having a medium bulk density without the use of a spray-drying step involving a high shear mixing step and a very low shear mixing step and to detergent compositions thereby produced.

10

5

Conventionally, detergent compositions have been produced by a spray-drying process in which the components of the composition are mixed with water to form an aqueous crutcher slurry which is then sprayed into a spray-drying tower and contacted with hot air to remove water whereby detergent particles, often referred to as a "base" powder are obtained. The particles so obtained, have a high porosity. Thus powders produced by this method typically have a bulk density of 300 to 550 g/l or even up to 650 g/l.

20

15

Spray-dried powders generally provide good powder delivery characteristics such as dispensing and dissolution. However, the capital and operating costs of the spray-drying process are high. Nevertheless there remains a significant consumer demand for such low density powders.

30

3.5

25

In recent years, detergent powders having a high bulk density have been produced by mechanical mixing processes. Bulk densities of 700 to 900 g/l and even higher have been obtained. Typically such powders are produced by densifying a spray-dried base powder in one or more mechanical mixers, optionally with the addition of further components, or by mixing the components of the composition in a continuous or batch mixing process without the use of a spray-drying step.

EP 367 339 (Unilever) discloses a process for the production of a detergent composition having a high bulk density in which a particulate starting material is treated in a high speed mixer, a moderate speed mixer wherein the material is brought into or maintained in a deformable state, and then dried and/or cooled. The starting material may be a spray-dried base powder or the components of the composition may be employed without a prior spray-drying step in the detergent production process.

10

15

5

Powders having a high bulk density have a low packing volume which is advantageous for storage and distribution operations and also for the consumer. Furthermore, if a spray-drying step is not employed, the capital and operating costs are typically much lower and the process uses less energy and so provides an environmental benefit. The avoidance of a spray-drying step in the detergent production process is therefore desirable.

20

However, such high density powders typically have a much lower porosity than a conventional spray-dried powder which may impair the delivery of the powder into the wash liquor. Additionally, the production of powders having a low to medium bulk density, for example less than about 700 g/l, has not hitherto been readily achievable on a commercial scale without the use of a spray-drying step.

30

25

EP 544 365 (Unilever) is concerned with the production of a high bulk density detergent composition and refers to the bulk density of a detergent powder being dependent upon the bulk density of the starting materials in the case of a mixing process.

35

Treating a porous spray-dried material in a mechanical mixing process typically leads to an increase in bulk density

as the powder porosity is reduced. However, we have found that a powder having a surprisingly low bulk density, for example less than 700 g/l, may be obtained by a process in which a spray-drying step is not employed, involving a high shear mixing step and a very low shear mixing step if a component having a low bulk density is incorporated in the very low shear mixing step. Further, such a powder exhibits good powder properties.

10

15

5

A first aspect of the invention provides a process for the production of a detergent composition or component having a bulk density of less than 700 g/l which does not comprise a spray-drying step and which process comprises mixing a particulate starting material with a liquid binder in a mixer granulator, preferably having both a stirring and a cutting action, to form granules wherein the starting material and/or binder comprises a non-soap detergent active or a precursor thereof, feeding the said granules to a very low shear mixing zone and contacting the granules with a particulate material having a bulk density of not more than 700g/l to produce a detergent composition or component having a bulk density of less than 700 g/l.

25

20

A second aspect of the invention provides a detergent composition or component having a bulk density of less than 700 g/l obtainable by a process which does not comprise a spray-drying step and which comprises mixing a particulate starting material with a liquid binder in a mixer/granulator, preferably having both a stirring and cutting action, to form granules and feeding the said granules to a very low shear mixing zone and contacting the granules with a particulate material having a bulk density of not more than 700g/l.

、35

30

Unless stated otherwise, % figures are on a weight basis and based on the total weight of the detergent composition or

component prior to the optional addition of post-dosed ingredients.

Suitably the detergent composition has a bulk density of 400 to 680 g/l, preferably 450 to 680 g/l and more preferably 500 to less than 650 g/l. It is further preferred that the detergent composition has a particle porosity of at least 0.2 and more preferably at least 0.25. The porosity may be determined by a mercury porosimetry method.

10

5

The component incorporated in the very low shear zone has a bulk density of not more than 700 g/l, and suitably has a bulk density of 200 to 600 g/l, preferably 250 to 550 g/l and especially 350 to 500 g/l.

15

20

25

30

35

This low bulk density component is desirably an aluminosilicate, for example zeolite 4A or zeolite A24 or a salt, preferably an inorganic salt. Salts, preferably sodium, of phosphates, for example tripolyphosphate, carbonate, bicarbonate and sulphate are especially suitable. Desirably the low bulk density component constitutes the detergency builder, or part thereof in the composition. If desired, this component may be a non-builder material, in which case the particulate starting material will suitably comprise a builder.

It is especially preferred that the low bulk density component comprises sodium tripolyphosphate having a bulk density of 380 to 500 g/l. This compares to a typical bulk density of 800 to 1000 g/l for tripolyphosphate conventionally employed in detergent compositions.

Suitably the level of the low bulk density component is selected according to the desired density of the detergent composition. Preferably it is present at a level of 5 to

65 wt %, preferably 10 to 40 wt % and optimally 10 to 30 wt % of the composition.

If desired part of the low bulk density component may be introduced into the high speed mixer/granulator. In a preferred embodiment, the level of this component in the very low shear mixing zone is at least 10% by weight based on the detergent composition and additionally up to 80% of the total amount of the low bulk density component may be dosed into the high speed mixer/granulator although it is preferred that up to 60%, more preferably 5 to 50%, especially 20 to 45% of the low density material (as a percentage of the total amount of this material) be dosed into the high speed mixer granulator.

15

20

25

10

The process may be continuous but is preferably batchwise.

A preferred type of mixer/granulator for use in the process of the invention is bowl-shaped and preferably has a substantially vertical stirrer axis. Especially preferred are mixers of the Fukae (Trade Mark) FS-G series manufactured by Fukae Powtech Kogyo Co., Japan; this apparatus is essentially in the form of a bowl-shaped vessel accessible via a top port, provided near its base with a stirrer having a substantially vertical axis, and a cutter positioned on a side wall. The stirrer and cutter may be operated independently of one another, and at separately variable speeds.

30

35

Other similar mixers found to be suitable for use in the process of the invention are the Diosna (Trade Mark) V series ex Dierks & Söhne, Germany; and the Pharma Matrix (Trade Mark) ex T K Fielder Ltd., England. Other similar mixers believed to be suitable for use in the process of the

invention include the Fuji (Trade Mark) VG-C series ex Fuji Sangyo Co., Japan; and the Roto (Trade Mark) ex Zanchetta & Co srl, Italy.

Another mixer found to be suitable for use in the process of the invention is the Lödige (Trade Mark) FM series batch mixer ex Morton Machine Co. Ltd., Scotland. This differs from the mixers mentioned above in that its stirrer has a horizontal axis.

10

15

20

5

Granulation is preferably effected by running the mixer using both stirrer and cutter; a relatively short residence time (for example, 5-8 minutes for a 35 kg batch) is generally sufficient. The final bulk density can be controlled by choice of residence time.

Suitably the stirrer is operated at a rate of 25 to 80 rpm, preferably 30 to 75 rpm. Independently the cutter is suitably operated at a rate of 200 to 2500 rpm, preferably 300 to 2200 rpm. A batch process typically involves premixing of solid components, addition of liquids, granulation, optional addition of a layering material suitable for controlling the granulation end-point, and product discharge. The rate of stirring and/or cutting is suitably adjusted according to the stage of the process.

30

25

The presence of a liquid binder is necessary for successful granulation. The precise nature of the binder is not critical provided that it enables successful granulation to be achieved. Suitably the binder comprises one or more of the following: liquid detergent-active compound(s), precursors thereof, water, solutions, non-aqueous or aqueous, of other ingredients or mixtures thereof. If water is employed the level is desirably controlled so that the

moisture content of the detergent composition is not more than 10% by weight and preferably not more than 6%.

The mixing step is preferably carried out at a controlled temperature somewhat above ambient, preferably above 30°C. Suitably the temperature is within the range 30 to 55°C although higher temperatures may be suitable, for example, where heat of reaction is generated by in situ neutralisation.

10

1.5

20

5

The very low shear mixing zone may be located within the same apparatus as the high speed mixer granulation but desirably is in a separate apparatus for example a rotating bowl mixer and preferably a fluid bed. The fluid bed is suitably operated at a temperature of 30 to 90°C and at a superficial air velocity of about 0.25 to 1.2 ms⁻¹. Suitable fluid beds are available from, for example NIRO. The air flow in the fluid bed may be adjusted according to the desired level of shear and agitation of the low bulk density component. Suitably the low bulk density component is dosed into the bed and gently agitated using a small air flow which is then increased prior to feeding in the granules from the high speed mixer/granulator.

25

30

The detergent composition suitably comprises anionic detergent active. This may be incorporated as a preneutralised material, desirably as a component of the particulate starting material, or may be neutralised in situ. In the latter case the acid precursor of the active is preferably neutralised using a solid neutralising agent, for example carbonate (preferably sodium carbonate), which is desirably a component of the particulate starting material.

35

The detergent active material present in the composition may be selected from anionic, ampholytic, zwitterionic or

5

10

15

20

25

30

nonionic detergent active materials or mixtures thereof. Examples of suitable synthetic anionic detergent compounds are sodium and potassium (C_9-C_{20}) benzene sulphonates, particularly sodium linear secondary alkyl $(C_{10}-C_{15})$ benzene sulphonates; sodium or potassium alkyl sulphates; and sodium alkyl glyceryl ether sulphates, especially those ethers of the higher alcohols derived from tallow or coconut oil and synthetic alcohols derived from petroleum. Suitable nonionics which may be employed include, in particular the reaction products of compounds having a hydrophobic group and a reactive hydrogen atom, for example, aliphatic alcohols, acids, amides or alkyl phenols with alkylene oxides, especially ethylene oxide either alone or with propylene oxide. Specific nonionic detergent compounds are alkyl (C6- C_{22}) phenol ethylene oxide condensates, generally having 5 to 25 EO, ie 5 to 25 units of ethylene oxide per molecule, and the condensation products of aliphatic (Ca-Cis) primary or secondary linear or branched alcohols with ethylene oxide, generally 5 to 40 EO. The level of detergent active material present in the composition may be in the range from 1 to 50% by weight depending on the desired applications. material may be present in the particulate starting material at a level which is preferably less than 10% by weight, more preferably less than 5% by weight and/or employed as the liquid binder optionally with another liquid component, for example water.

In a preferred embodiment of the invention, the particulate starting material comprises one or more of a carbonate salt at a level of 5 to 60 wt %, a zeolite at a level of 5 to 60 wt % and, if present as the low bulk density component, a phosphate salt at a level of 5 to 20% by weight of the total quantity of starting material.

5

10

15

20

Suitably the particulate starting material constitutes 30 to 70% of the detergent composition.

PCT/EP97/00118

Optionally, a layering material may be employed during the high speed mixing step to control granule formation and reduce or prevent over-agglomeration. Preferably a layering material is introduced into the very low shear mixing step. Suitable materials include aluminosilicates, for example zeolite 4A and A24. The layering material is suitability present at a level of 1 to 4 wt % based on the composition.

The composition may be used as a complete composition in its own right or may be mixed with other components or mixtures and thus may form a major or minor part of a final product. The composition may be blended with for example a spray-dried base powder.

Conventional additional components such as enzymes, bleach and perfume may also be admixed with the composition as desired to produce a fully formulated product.

The invention is further illustrated by the following non-limiting Examples.

Example 1 and A (Comparative)

A detergent composition was prepared by dosing the following components into a Fukae FS3500 mixer (in the following sequence):

	Sodium Tripolyphosphate (400-	80(kg)
	440g/1)	
	Fluorescer	1
10	SCMC	12
	Sodium Carbonate	530
	LAS acid	170
	Fatty acid (PRISTERENE 4918)/	40/30
	Nonionic mixture	

15

20

25

5

The process conditions employed are summarised below:

Process step	Stirrer(rpm)	Cutter(rom)
Solids premix	40	0
Liquids addition	75	1900
Granulation	70	1900
Discharge	30-45	1500

The mixer was operated at a temperature of 30-35°C. The mixer was operated for sufficient time to effect granulation in the granulation step (end point 60 amps) and the product was discharged over 240 seconds.

130kg of sodium tripolyphosphate (bd 400-440g/l) was
30 dosed into a NIRO fluid bed and 'bubbled' at a low air
velocity. Prior to discharge of the granules from the Fukae
mixer, the air flow was increased to about 11000 m³/hr and
the granules were fed into the fluid bed.

20kg of zeolite 4A was then dosed into the fluid bed as a layering material. The det rgent composition was then discharged from the fluid bed at a temperature below 30°C.

For comparative purposes the above procedure was repeated to produce Composition A, but conventional density STP (about 800g/l) was substituted for the low density STP. All of the STP was dosed into the Fukae mixer and none into the fluid bed.

10

5

The properties of the two powders were measured and the results are detailed below:

		Example 1	<u>Comparative A</u>
15			
	Bulk density (g/l)	520	775
	Dynamic		
	Flow Rate (ml/s)	>90	>90
	Mean particle size (µm)	520	750

20

Both powders were crisp and free flowing and white/cream in colour.

25

30

The results demonstrate that a medium bulk density powder is obtainable without the need for a spray-drying step in the production process. A reduction in bulk density may be expected to have an adverse effect on powder properties (compression, UCT). However these properties remain at an acceptable level for the powder of Example 1.

Claims

5

10

25

30

35

- 1. A process for the production of a detergent composition or component having a bulk density of less than 700 g/l which does not comprise a spray-drying step and which process comprises mixing a particulate starting material with a liquid binder in a mixer granulator to form granules wherein the starting material and/or binder comprises a non-soap detergent active or a precursor thereof feeding the said granules to a very low shear mixing zone and contacting the granules with a particulate material having a bulk density of not more than 700g/l to produce a detergent composition or component having a bulk density of less than 700 g/l.
- 2. A process according to claim 1, wherein the particulate material having a low bulk density comprises aluminosilicate, an inorganic salt or mixtures thereof.
- A process according to claim 2, wherein low bulk density
 particulate material comprises a phosphate, carbonate,
 bicarbonate or sulphate salt.
 - 4. A process according to any preceding claim, wherein the particulate material having low bulk density comprises a builder material.
 - 5. A process according to any preceding claim, wherein 5-65% by weight of the low bulk density particulate material based on the composition is added.
 - 6. A process according to any preceding claim, wherein at least 10% by weight based on the detergent composition of low bulk density particulate material is added in the very low shear mixing zone.

7. A process according to any preceding claim, wherein the binder comprises liquid detergent-active, liquid detergent-active precursor, water, solutions, non-aqueous or aqueous, of other ingredients, or mixtures thereof.

5

- 15

- 8. A process according to any preceding claim, wherein the active comprises anionic detergent active.
- A process according to claim 8, wherein acid precursor
 of anionic detergent is added and neutralised in situ.
 - 10. A process according to any preceding claim, wherein the particulate starting material comprises one or more of a carbonate salt at a level of 5-60 wt%, a zeolite at a level of 5-60 wt% and if present as the low bulk density component, a phosphate salt at a level of 5-20% by weight of the total quantity of starting material.
- density of less than 700 g/l obtainable by a process which does not comprise a spray-drying step and which comprises mixing a particulate starting material with a liquid binder in a mixer/granulator to form granules and feeding the said granules to a very low shear mixing zone and contacting the granules with a particulate material having a bulk density of not more than 700g/l.

Intel onal Application No PCI/EP 97/00118

A. CLASSI IPC 6	FICATION OF SUBJECT MATTER C11D17/06 C11D11/00		
According to	o International Patent Classification (IPC) or to both national class	ification and IPC	
B. FIELDS	SEARCHED		
Minimum d IPC 6	ocumentation searched (classification system followed by classifica C11D	tion symbols)	
Documentat	on searched other than minimum documentation to the extent that	such documents are included in the fields	searched
Electronie d	ata base consulted during the international search (name of data ba	se and, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	······································	·
Category *	Citation of document, with indication, where appropriate, of the r	tievant passages	Relevant to claim No.
A	DATABASE WPI Section Ch, Week 8523 Derwent Publications Ltd., London Class 025, AN 85-137896 XP002032014 & JP 60 072 998 A (KAO CORP) , 29 1985 see abstract		1,3,4, 7-9,11
A	WO 95 01418 A (UNILEVER) 12 Janusee claims	uary 1995	1-5,7,11
X Furt	her documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
'A' docume consider 'E' earlier e filing d 'L' docume which i citato 'O' docume other ti 'P' docume later th	ent defining the general state of the art which is not tred to be of particular relevance document but published on or after the international late and which may throw doubts on priority clasim(s) or is cited to establish the publication date of another a or other special reason (as specified) and referring to an oral disclosure, use, othibition or nears and published prior to the international filing date but	"T" later document published after the int or priority date and not in conflict worted to understand the principle or timeration." "X" document of particular relevance, the cannot be considered novel or canno myolve an inventive step when the discount of particular relevance; the cannot be considered to involve an indocument of considered to involve an indocument at combined with one or membs, such combination being obvious the document member of the same patent. "At document member of the same patent."	th the application but beery underlying the claimed invention to considered to be considered to becoment it taken alone claimed invention leventive step when the love other such docu- lets to a person skilled
30	9 May 1997	1 0. 06. 97	
Name and n	nailing address of the ISA European Patent (floe, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijnwyk Tel. (+ 31-70) 340-2040, Tz. 31 651 epo ni, Fax: (+ 31-70) 340-3016	Authorized officer Grittern, A	

Form PCT/ISA/216 (second sheet) (July 1992)

1

INTERNATIONAL SEARCH REPORT

Intr onal Application No PCI/EP 97/90118

		PC1/EP 97/60118
C.(Continu	mon) DOCUMENTS C NSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DATABASE WPI Section Ch, Week 9612 Derwent Publications Ltd., London, GB; Class D25, AN 96-112966 XP002032015 & JP 08 013 000 A (LION CORP) , 16 January 1996 see abstract	1-5,11
	DATABASE WPI Section Ch, Week 9423 Derwent Publications Ltd., London, GB; Class A97, AN 94-189223 XP002032016 & JP 06 128 594 A (LION CORP) , 10 May 1994 see abstract	1-5,11
A .	DATABASE WPI Section Ch, Week 8550 Derwent Publications Ltd., London, GB; Class D25, AN 85-312679 XP002032017 & JP 60 072 999 A (KAO CORP), 25 April 1985 see abstract	1-5,9,11
	DATABASE WPI Section Ch, Week 8442 Derwent Publications Ltd., London, GB; Class D25, AN 84-259618 XP002032018 & JP 59 157 198 A (LION CORP), 6 September 1984 see abstract	1-5,11
		·

For the Article of th

at	ormation on patent family memi) 	1	u Application No P 97/00118
Patent document cited in search report	Publication date	Patent fami member(s		Publication date
WO 9501418 A	12-01-95	AU 738329 CZ 960000 EP 070650 JP 85120 PL 31242 ZA 94046	04 A 50 A 72 T 20 A	24-01-95 12-06-96 17-04-96 17-12-96 15-04-96 29-12-95
		-		

Form PCT/ISA/210 (petent family annex) (July 1992)